

---

**EXPLORE  
NEW IDEAS &  
UNIQUE STYLE.**



60x  
120cm



Size :

**60x120cm**

(GLAZED VITRIFIED TILES)

Finish :

**Carving**


Thickness :

**8.1 MM**



## Redefining Aesthetic

Surface and finish with the perfect equilibrium of sheen and element to anchor the environment of indulgence.



Experience the epitome of elegance with our Carving tiles Collection.

Each tile is a masterpiece, embodying precision, sophistication, and unrivaled innovation in design.

INTRODUCTION

# CARVING

collection

Carving Tiles are ideal for small areas, as they make any area look Stunning and more spacious.

CARVING





# APPOLO WHITE



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



APPOLO WHITE



# ARIANA CREAMA |



CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



ARIANA CREAMA



# ARIANA GREY |

**100%  
GVT  
BODY**

**600X<sup>SIZE</sup>  
1200MM**

**CARVING  
FINISH** |

**RANDOM  
05** |

**GLAZED  
VITRIFIED TILES** |



High  
Strength



Easy to  
Install




<0.05% Water  
Absorption



Random  
Design







# ALASKA WHITE



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
06

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



ALASKA WHITE



# ARMANI GREY



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install




<0.05% Water  
Absorption



Random  
Design



ARMANI GREY



# BEVERELY BIANCO |

100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



BEVERELY BIANCO



# BOTICA LATE



600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design







# COSTA WOOD DARK |



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install





<0.05% Water  
Absorption



Random  
Design



COSTA WOOD DARK



# CALACATTA CLASSIC |

100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install





<0.05% Water  
Absorption



Random  
Design



CALACATTA CLASSIC



# CLASSIC WHITE

100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



CLASSIC WHITE



# DOLCE GREY |



600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
06 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design





DOLCE GREY



# EMERALD GREY |



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



EMERALD GREY



# ESTILA GOLD |

**100%  
GVT  
BODY**

**600X<sup>SIZE</sup>  
1200MM**

**CARVING  
FINISH** |

**RANDOM  
05** |

**GLAZED  
VITRIFIED TILES** |



High  
Strength



Easy to  
Install




<0.05% Water  
Absorption



Random  
Design



ESTILA GOLD



# EARTHE BEIGE



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
06

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



EARTHE BEIGE



# EARTHE GREY |

**100%  
GVT  
BODY**

**600X<sup>SIZE</sup>  
1200MM**

**CARVING  
FINISH** |

**RANDOM  
06** |

**GLAZED  
VITRIFIED TILES** |



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design





EARTHE GREY



# EONE GREY |

100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
04 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install





<0.05% Water  
Absorption



Random  
Design



EONE GREY



# GLACIER WHITE



600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



GLACIER WHITE



# JASMIN WHITE



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
06

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



JASMIN WHITE



# KANDALA BEIGE



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design





KANDALA BEIGE



# LETINA WHITE



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



LETINA WHITE



# LORENT BEIGE



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



LORENT BEIGE



# LORENT GREY |

**100%  
GVT  
BODY**

**600X<sup>SIZE</sup>  
1200MM**

**CARVING  
FINISH** |

**RANDOM  
05** |

**GLAZED  
VITRIFIED TILES** |



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



LORENT GREY



# MARSELLE NATURAL

100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
06

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design





MARSELLE NATURAL



# NEXO GREY |



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



NEXO GREY



# PULPIS BLAND |



600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



PULPIS BLAND



# PORFIDO GREY |



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
04

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



PORFIDO GREY



# RIVERA CREMA |



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design





RIVERA CREMA



# RIVERA SAND |



600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install





<0.05% Water  
Absorption



Random  
Design



RIVERA SAND



# ROMAN MULTI |



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
04

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



ROMAN MULTI



# SANDESTONE SILVER



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



SANDESTONE SILVER



# SISILIYA BEIGE

100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
03

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption





Random  
Design





SISILIYA BEIGE



# STONELA SNOW |



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install




<0.05% Water  
Absorption



Random  
Design



STONELA SNOW



# STATUARIO LUMINA |

100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



STATUARIO LUMINA



# STATUARIO POLLO |



CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



STATUARIO POLLO



# TRAVO CREMA |



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design





TRAVO CREMA



# TIVOLI CREMA |



600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install




<0.05% Water  
Absorption



Random  
Design



TIVOLI CREMA



# VOYATI STATUARIO |



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH |

RANDOM  
05 |

GLAZED  
VITRIFIED TILES |



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



VOYATI STATUARIO

60X120CM | GLAZED PORCELAIN TILES TECHNICAL DETAILS

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIa	MEAN VALUE OF VOYATI	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation In Length & Width	± 0.50%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 4.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.50%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.20%	ISO-10545-2
Color Differences	Unaltered	No Change	ISO-10545-16
Glossiness	As per Mfg.	Min. 90%	GLOSSOMETER
<b>STRUCTURAL PROPERTIES</b>			
Water Absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent Density	> 2.00 g/cc	> 2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of Rupture	Min. 35N/mm <sup>2</sup>	Min. 40N/mm <sup>2</sup>	ISO-10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact Resistance	As Per Mfg.	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Surface Abrasion Resistance	As Per Mfg.	Min. Class-3	ISO-10545-7
Moh's Hardness	As Per Mfg.	Min. 4	EN 101
<b>THERMO HYDROMETRIC PROPERTIES</b>			
Frost Resistance	No Damage	No Damage	ISO-10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion(COE)	Max 9.0x10 <sup>-6</sup>	Max 6.5x10 <sup>-6</sup>	ISO-10545-8
Crazing Resistance	As Per Mfg.	Min. 10 Cycle	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	No Damage	No Damage	ISO-10545-13
Stain Resistance	Resistant	Resistant	ISO-10545-14
<b>SAFETY PROPERTIES</b>			
Slip Resistance	>0.40	>0.40	ISO-10545-17
Fire Resistance	As Per Mfg.	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As Per Mfg.	Does not yield Pb & Cd	ISO-10545-15

**VOYATI**  
CERAMICS

**PACKING DETAIL**

Size	Pcs. / Box	Coverage Area / Box	Weight / Box
60x120 (24"x48")	2	1.44 sq. mtr.	26 kg.

# VOYATI

C E R A M I C S

Max Granito Pvt. Ltd.

8-A National Highway, B/h 132kV Substation,  
Jambudiya, Morbi - 363 642, Gujarat, INDIA

[info@voyati.in](mailto:info@voyati.in) | [+91 84694 59999](tel:+918469459999) | [www.voyati.in](http://www.voyati.in)

