


---

**EXPLORE**  
**NEW IDEAS &**  
**UNIQUE STYLE.**



Size :

**60x120cm**

(GLAZED VITRIFIED TILES)

Finish :

**Endless Carving**


Thickness :

**8.1 MM**



## Redefining Aesthetic

Surface and finish with the perfect equilibrium of sheen and element to anchor the environment of indulgence.



Experience the epitome of elegance with our Carving tiles Collection.

Each tile is a masterpiece, embodying precision, sophistication, and unrivaled innovation in design.

## INTRODUCTION

### CARVING **ENDLESS** collection

Carving Tiles are ideal for small areas, as they make any area look Stunning and more spacious.

## CARVING





**ANTHANI BIANCO END**

RANDOM 04

**GLAZED**  
VITRIFIED TILES

600X SIZE  
1200MM



**ANTHANI GREY END**

RANDOM 04

**Carving**  
FINISH



High Strength



Easy to Install



<0.05% Water Absorption



Random Design



ANTHANI GREY END



# ARBASCATO END |

**100%  
GVT  
BODY**

**600X<sup>SIZE</sup>  
1200MM**

**CARVING  
FINISH**

**RANDOM  
04**

**GLAZED  
VITRIFIED TILES**



High Strength



Easy to Install




<0.05% Water Absorption



Random Design



ARBASCATO END





**BEAUTY RED END**

RANDOM 05

**GLAZED**  
VITRIFIED TILES

600X SIZE  
1200MM



RANDOM 05

**BEAUTY GREY END**

**Carving**  
FINISH



High Strength



Easy to Install



<0.05% Water Absorption



Random Design





BEAUTY RED END



# ELITE BEIGE END

100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
04

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



ELITE BEIGE END



# FENIX WHITE END

**100%  
GVT  
BODY**

**600X<sup>SIZE</sup>  
1200MM**

**CARVING  
FINISH**

**RANDOM  
03**

**GLAZED  
VITRIFIED TILES**



High Strength



Easy to Install



<0.05% Water Absorption



Random Design




FENIX WHITE END



**FIRRO BIANCO END**

RANDOM 05



RANDOM 05

**FIRRO CLASSIC END**

**GLAZED**  
VITRIFIED TILES

600X SIZE  
1200MM

**Carving**  
FINISH



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



FIRRO CLASSIC END



# MARFIL BORGHINI END

100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
05

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design





MARFIL BORGHINI END



# RIGATO WHITE END

**100%  
GVT  
BODY**

**600X<sup>SIZE</sup>  
1200MM**

**CARVING  
FINISH**

**RANDOM  
04**

**GLAZED  
VITRIFIED TILES**



High  
Strength



Easy to  
Install




<0.05% Water  
Absorption



Random  
Design



RIGATO WHITE END



# BELLATON WHITE END

100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
04

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install




<0.05% Water  
Absorption



Random  
Design



BELLATON WHITE END



# SATVARIO REMIX END

**100%  
GVT  
BODY**

**600X<sup>SIZE</sup>  
1200MM**

**CARVING  
FINISH**

**RANDOM  
04**

**GLAZED  
VITRIFIED TILES**



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



SATVARIO REMIX END



# SNOW BEIGE END



100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
04

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption




Random  
Design





SNOW BEIGE END



# STATUARIO ETHNIC END

100%  
GVT  
BODY

600X<sup>SIZE</sup>  
1200MM

CARVING  
FINISH

RANDOM  
04

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



STATUARIO ETHNIC END



# VESACE GREY END



CARVING  
FINISH

RANDOM  
04

GLAZED  
VITRIFIED TILES



High  
Strength



Easy to  
Install



<0.05% Water  
Absorption



Random  
Design



VESACE GREY END



# VICTORIA BEIGE END

**100%  
GVT  
BODY**

**600X<sup>SIZE</sup>  
1200MM**

**CARVING  
FINISH**

**RANDOM  
06**

**GLAZED  
VITRIFIED TILES**



High Strength



Easy to Install



<0.05% Water Absorption



Random Design



VICTORIA BEIGE END

60X120CM | GLAZED PORCELAIN TILES TECHNICAL DETAILS

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIa	MEAN VALUE OF VOYATI	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation In Length & Width	± 0.50%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 4.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.50%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.20%	ISO-10545-2
Color Differences	Unaltered	No Change	ISO-10545-16
Glossiness	As per Mfg.	Min. 90%	GLOSSOMETER
<b>STRUCTURAL PROPERTIES</b>			
Water Absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent Density	> 2.00 g/cc	> 2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of Rupture	Min. 35N/mm <sup>2</sup>	Min. 40N/mm <sup>2</sup>	ISO-10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact Resistance	As Per Mfg.	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Surface Abrasion Resistance	As Per Mfg.	Min. Class-3	ISO-10545-7
Moh's Hardness	As Per Mfg.	Min. 4	EN 101
<b>THERMO HYDROMETRIC PROPERTIES</b>			
Frost Resistance	No Damage	No Damage	ISO-10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion(COE)	Max 9.0x10 <sup>-6</sup>	Max 6.5x10 <sup>-6</sup>	ISO-10545-8
Crazing Resistance	As Per Mfg.	Min. 10 Cycle	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	No Damage	No Damage	ISO-10545-13
Stain Resistance	Resistant	Resistant	ISO-10545-14
<b>SAFETY PROPERTIES</b>			
Slip Resistance	>0.40	>0.40	ISO-10545-17
Fire Resistance	As Per Mfg.	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As Per Mfg.	Does not yield Pb & Cd	ISO-10545-15

**VOYATI**  
CERAMICS

**PACKING DETAIL**

Size	Pcs. / Box	Coverage Area / Box	Weight / Box
60x120 (24"x48")	2	1.44 sq. mtr.	26 kg.



# VOYATI

C E R A M I C S

Max Granito Pvt. Ltd.

8-A National Highway, B/h 132kV Substation,  
Jambudiya, Morbi - 363 642, Gujarat, INDIA

[info@voyati.in](mailto:info@voyati.in) | [+91 84694 59999](tel:+918469459999) | [www.voyati.in](http://www.voyati.in)

