
**AESTHETICALLY
PLEASING
SPLENDOR.**



60x
120cm



Size :

60x120cm

(GLAZED VITRIFIED TILES)

Finish :

Carving

Thickness :

8.1 MM



Aesthetic Charm

Express every corner of your space with abundant richness and a timeless aesthetic that elevates modernity.



Experience the epitome of elegance with our HL Carving tiles Collection.

Each tile is a masterpiece, embodying precision, sophistication, and unrivaled innovation in design.


INTRODUCTION





HL
Carving
collection

HL Carving Unleash a marvel creation that replicates elegance and brings your dream vision space into reality.

HL CARVING







ALLISON HL

ALLISON LGY

RANDOM 06

ALLISON HL & LGY |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install




<0.05% Water
Absorption




Random
Design



ALLISON HL & LGY





ALLISON HL & BROWN |

600X SIZE
 1200MM

**100%
 GVT
 BODY**

**CARVING
 FINISH**

**GLAZED
 VITRIFIED TILES**



High Strength



Easy to Install



<0.05% Water Absorption




Random Design

ALLISON HL

ALLISON BROWN

RANDOM 06





ARIZONA HL & GREY



ARIZONA HL & GREY |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption



Random
Design


ARIZONA HL

ARIZONA GREY





RANDOM 05



ARIZONA HL & GREY



ARIZONA HL & LIGHT



ARIZONA HL & LIGHT |

600X SIZE
1200MM

**100%
GVT
BODY**

**CARVING
FINISH**

**GLAZED
VITRIFIED TILES**



High Strength



Easy to Install



<0.05% Water Absorption




Random Design

ARIZONA HL


ARIZONA LIGHT

RANDOM 05





CASTELLO HL & DGY



CASTELLO HL & DGY |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption




Random
Design

CASTELLO HL






CASTELLO DGY

RANDOM 05





CASTELLO HL & LGY



CASTELLO HL & LGY |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption




Random
Design

CASTELLO HL


CASTELLO LGY

RANDOM 05





DOVE HL & DGY



DOVE HL & DGY |

600X SIZE
1200MM

**100%
GVT
BODY**

**CARVING
FINISH**

**GLAZED
VITRIFIED TILES**



High Strength



Easy to Install



<0.05% Water Absorption



Random Design


DOVE HL

DOVE DGY




RANDOM 05



DOVE HL & DGY



DOVE HL & AVORIO



DOVE HL & AVORIO |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption



Random
Design


DOVE HL

DOVE AVORIO





RANDOM 05

DOVE HL & AVORIO





FOREVER HL & IVORY



FOREVER HL & IVORY |

600X SIZE
1200MM

**100%
GVT
BODY**

**CARVING
FINISH**

**GLAZED
VITRIFIED TILES**



High Strength



Easy to Install



<0.05% Water Absorption




Random Design



FOREVER HL

FOREVER IVORY

RANDOM 05







FOREVER HL & NERO |

600X SIZE
1200MM

**100%
GVT
BODY**

**CARVING
FINISH**

**GLAZED
VITRIFIED TILES**



High Strength



Easy to Install



<0.05% Water Absorption




Random Design

FOREVER HL

FOREVER NERO

RANDOM 05





HIMALAYA HL & GREY



HIMALAYA HL & GREY |

600X SIZE
1200MM



100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption



Random
Design


HIMALAYA HL

HIMALAYA GREY


RANDOM 05



HIMALAYA HL & GREY



HIMALAYA HL & LIGHT



HIMALAYA HL & LIGHT |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption



Random
Design


HIMALAYA HL

HIMALAYA LIGHT

RANDOM 05



HIMALAYA HL & LIGHT



MILOS HL & NATURAL



MILOS HL & NATURAL |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption




Random
Design

MILOS HL

MILOS NATURAL

RANDOM 04





MILOS HL & WHITE



MILOS HL & WHITE |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption




Random
Design

MILOS HL

MILOS WHITE

RANDOM 04





RIVER STONE HL & BEIGE



RIVER STONE **HL & BEIGE** |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption



Random
Design

RIVER STONE HL

RIVER STONE BEIGE

RANDOM 04



RIVER STONE HL & BEIGE



RIVER STONE HL & NETURAL



RIVER STONE **HL & NETURAL** |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High Strength



Easy to Install



<0.05% Water Absorption



Random Design


RIVER STONE HL

RIVER STONE NETURAL


RANDOM 04



RIVER STONE HL & NETURAL



RIVER STONE HL & WHITE



RIVER STONE HL & WHITE |

600X SIZE
1200MM

**100%
GVT
BODY**

**CARVING
FINISH**

**GLAZED
VITRIFIED TILES**



High Strength



Easy to Install



<0.05% Water Absorption



Random Design


RIVER STONE HL

RIVER STONE WHITE


RANDOM 04



RIVER STONE HL & WHITE



SWIDEN HL & STATUARIO SWIDEN



SWIDEN HL & STATUARIO |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption




Random
Design

SWIDEN HL


STATUARIO SWIDEN

RANDOM 05





TURKISH HL & CLASSIC



TURKISH HL & CLASSIC |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption




Random
Design

TURKISH HL


TURKISH CLASSIC

RANDOM 05





TURKISH HL & NATURAL



TURKISH HL & NATURAL |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption



Random
Design


TURKISH HL

TURKISH NATURAL


RANDOM 05



TURKISH HL & NATURAL



SOUL WHITE HL & SOUL WHITE



SOUL WHITE HL & WHITE |

600X SIZE
1200MM

100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption



Random
Design


SOUL WHITE HL

SOUL WHITE

RANDOM 05



SOUL WHITE HL & SOUL WHITE



VELOURS HL & BROWN



VELOUR HL & BROWN |

600X SIZE
1200MM



CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption



Random
Design


VELOURS HL

VELOURS BROWN


RANDOM 04



VELOURS HL & BROWN



VELOURS HL & GREY



VELOUR HL & GREY |

600X SIZE
1200MM



100%
GVT
BODY

CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption



Random
Design


VELOURS HL

VELOURS GREY

RANDOM 04



VELOURS HL & GREY



VELOURS HL & NERO



VELOUR HL & NERO |

600X SIZE
1200MM

**100%
GVT
BODY**

**CARVING
FINISH**

**GLAZED
VITRIFIED TILES**



High Strength



Easy to Install



<0.05% Water Absorption




Random Design

VELOURS HL



VELOURS NERO

RANDOM 04





VINTAGE HL & NERO



VINTAGE HL & NERO |

600X SIZE
1200MM

**100%
GVT
BODY**

**CARVING
FINISH**

**GLAZED
VITRIFIED TILES**



High Strength



Easy to Install



<0.05% Water Absorption



Random Design


VINTAGE HL

VINTAGE NERO




RANDOM 04



VINTAGE HL & NERO



VINTAGE HL & WHITE



VINTAGE HL & WHITE |

600X SIZE
1200MM



CARVING
FINISH

GLAZED
VITRIFIED TILES



High
Strength



Easy to
Install



<0.05% Water
Absorption



Random
Design

VINTAGE HL

VINTAGE WHITE

RANDOM 04



VINTAGE HL & WHITE

60X120CM | GLAZED PORCELAIN TILES TECHNICAL DETAILS

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIa	MEAN VALUE OF VOYATI	TEST METHOD
REGULATORY PROPERTIES			
Deviation In Length & Width	± 0.50%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 4.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.50%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.20%	ISO-10545-2
Color Differences	Unaltered	No Change	ISO-10545-16
Glossiness	As per Mfg.	Min. 90%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water Absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent Density	> 2.00 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of Rupture	Min. 35N/mm ²	Min. 40N/mm ²	ISO-10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact Resistance	As Per Mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface Abrasion Resistance	As Per Mfg.	Min. Class-3	ISO-10545-7
Moh's Hardness	As Per Mfg.	Min. 4	EN 101
THERMO HYDROMETRIC PROPERTIES			
Frost Resistance	No Damage	No Damage	ISO-10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion(COE)	Max 9.0x10 ⁻⁶	Max 6.5x10 ⁻⁶	ISO-10545-8
Crazing Resistance	As Per Mfg.	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical Resistance	No Damage	No Damage	ISO-10545-13
Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip Resistance	>0.40	>0.40	ISO-10545-17
Fire Resistance	As Per Mfg.	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As Per Mfg.	Does not yield Pb & Cd	ISO-10545-15

VOYATI
CERAMICS

PACKING DETAIL

Size	Pcs. / Box	Coverage Area / Box	Weight / Box
60x120 (24"x48")	2	1.44 sq. mtr.	26 kg.

VOYATI

C E R A M I C S

Max Granito Pvt. Ltd.

8-A National Highway, B/h 132kV Substation,
Jambudiya, Morbi - 363 642, Gujarat, INDIA

info@voyati.in | [+91 84694 59999](tel:+918469459999) | www.voyati.in

